## EAST Search History

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	145743	(reject\$3 block\$3 ignor\$3) with (messag\$3 interrupt\$3 request)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/02 16:51
\$2	11156	(buddy contact people preferred coworker (co adj worker)) near2 list	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 13:36
83	350062	(away default custom\$4 personal\$4 automatic\$4) with (messag\$3 respons\$3 repl\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/02 16:51
S4	1123	S1 and S2 and S3 and @ad<= "20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/02 16:51
S5	138168	(away default custom\$4 personal\$4 automatic\$4) near3 (messag\$3 respons\$3 repl\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/02 16:51
S6	80169	(reject\$3 block\$3 ignor\$3) near3 (messag\$3 interrupt\$3 request)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/02 16:51
S7	540	S6 and S2 and S5 and @ad<= "20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/02 16:53
S8	297	S7 and ((modif\$3 updat\$3 chang\$3 amend\$3 refresh revis\$5 renew adjust\$3 customiz\$3 reset readjust\$3) with (list))	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/02 16:58

S9	156	S8 and ((urgent urgency importan\$2 priorit\$3) with (messag\$3 interrupt\$3 request))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/02 17:00
S10	26	(custom\$4 personal\$4 special \$4 seperate different alternative) with (away adj message)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 09:14
S11	8	S10 and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 10:27
S12	6	S11 and list	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 09:15
S13	2607	(messag\$3) and ((calender event schedul\$3) with (temporar\$4 chang\$3 updat \$3) with list)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 10:30
S14	1773	S13 and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 10:32
S15	46	S14 and (permanent with list)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 10:32
S16	4	S15 and ((buddy contact people friend) near3 list)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04
S17	3706	((buddy people contact) near2 list) and ((away automatics4 notify notification autonomous\$2 default personal\$4 custom \$4) near2 (message response notification))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 08:53

S18	2035	S17 and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 08:53
S19	21	S18 and ((temporary long- term (long adj term) permanent (short-term) (short adj term)) near2 (list))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 08:56
S20	1389	S18 and (instant real-time (real adj time))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 08:56
S21	547	\$20 and ((urgent urgency priority important importance) with (indicat\$3 mark\$3 status level))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 10:48
S22	508	S21 and (calender schedule datebook event)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 09:00
S23	81	((instant (real adj time) real- time) near2 (messag\$3)) and (((buddy people contact) near2 list) same (block restrict)) and ((away default personal\$4 custom\$4) near2 (response message))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09
S24	11	\$23 and @ad<="20031212" and ((urgent urgency priority important importance) with (indicat\$3 mark\$3 status level))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 11:06
S25	653	((instant (real adj time) real- time) near2 (messag\$3) and (((buddy people contact) near2 list)) and ((away default personal\$4 custom \$4) near2 (response message))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 11:05

S26	89	\$25 and @ad<="20031212" and ((urgent urgency priority important importance) with (indicat\$3 mark\$3 status level))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 11:06
S27	6	("09941045" "10235324" "10119519").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/09 17:21
S28	5	("09/941045" "10/235324" "10/119519").app.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/09 18:04
S29	261968	(limit\$3 manag\$3 restict\$3 filter\$3 prevent\$3 block\$3 control\$4) same (incom\$3 receiv\$3 request\$3 messag \$3 send\$3 client) same (urgent urgency priority importance important)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 18:13
S30	24003	S29 and @ad<="20031212" and (im (instant adj messag \$3) (real adj time) real-time)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 18:14
S31	6604	(Ilimit\$3 manag\$3 restict\$3 filter\$3 prevent\$5 block\$3 control\$4) with (incom\$3 receiv\$5 request\$3 messag \$3 send\$3 client) with (urgent urgency priority importance important) with (threshold value level)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09
S32	1442	\$31 and @ad<="20031212" and (im (instant adj messag \$3) (real adj time) real-time)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 18:43
S33	31	((buddy people contact) adj list) with (custom\$4 personal \$4 special\$4 detail\$3) with (away automatic\$4 auto) with (response message reply)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	ON	2007/10/09 18:18

S34	2	S32 and S33	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	N	2007/10/09 18:17
S35	172	((buddy people contact) adj list) same (custom\$4 personal \$4 special\$4 detail\$3) same (away automatic\$4 auto) same (response message reply)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	0 0 0	2007/10/09 18:18
S36	2	S32 and S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 18:19
S37	12	S30 and S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 18:19
S38	42	\$32 and "709".clss.	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 18:24
S39	11	\$31 and @ad<="20031212" and (im (instant adj messag \$3)) and "709".clss.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 09:05
S40	1	(((away auto automatic) near 2 (message response)) same ((unidentif\$3 anonymous nameless unknown unfamiliar unmarked unnamed unrecognized nameless unacknowledg\$2 unspecif\$3) with (user sender dient requestor))) and @ad<="20031212" and (im (instant adj messag\$3)) and "709".(ds	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 17:48

S41	2	(((away auto automatic) near2 (message response)) same ((unidentifs3 anonymous nameless unknown unfamiliar unmarked unnamed unrecognized nameless unacknowledg\$2 unspecif \$31)) and @ad<= "20031212" and (im (instant ad jmessag\$3)) and "708" (s8)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DEFWENT; IBM_TDB	OR	ON	2007/10/10
S45	0	((generic custom\$4 personal \$4 standard comprehensive general inclusive) same ((away auto automatic) near2 (message response)) same ((buddy people contact) near2 (sits)) and @ad<="20031212" and (im (instant ad) messag\$3)) and "708" clss	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DEHWENT; IBM_TDB	OR	ON	2007/10/10 09:24
S46	2	((away auto automatic) near2 (message response)) same (unidentiti\$3 anonymous nameless unfamiliar unknown unmarked unnamed unrecognized) and @ad= 20031212" and (im (instant adj messag\$3)) and "709" clss.	US-POPUB; USPAT; USOCR; FPRS; EPO; JPO; DEEWIENT; IBM_TDB	OR	ON	2007/10/10 09:24
S47	0	((((away auto automatic) near2 (message response)) same ((buddy people contact) near2 list)) and @ad<="20031212" and (im (instant aig messag\$3)) and "709".clss.	US-POPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 09:24
S48	35	((away auto automatic) near2 (message response)) and @ad<="20031212" and (im (instant adj messag\$3)) and "709".clss.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 11:19
S49	14	S48 and ((buddy people contact) near2 list)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	ON	2007/10/10 11:30

S50	57	((add\$3 display\$3 show\$3) same (remov\$3 hid\$3) same (activit\$3 event) same (upcoming prospective approach\$3 expect\$3 impend \$3 plan\$3 potential)) and ((buddy people contact) near2 list)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 14:50
S51	14	S49 and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 14:52
S52	76	((add\$3 display\$3 show\$3) same (remov\$3 hid\$3) same (calender schedul\$3 activit\$3 event) same (upcoming prospective approach\$3 expect\$3 impend\$3 plan\$3 potential)) and ((buddy people contact) near2 list)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 14:50
S53	34	S52 and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	0 0 0 0	2007/10/10 17:43
S54	2647	((limit\$3 restrict\$3 block\$3 filter\$3) near3 (interrupt\$4 messag\$3 request incom\$3)) and ((buddy people contact) near2 list)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 17:48
S55	129	\$54 and "709".clss. and @ad<= "20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 17:48
S56	26	((unidentif\$3 anonymous nameless unknown unfamiliar unmarked unnamed unrecognized nameless unacknowledg\$2 unspecif\$3) with (user sender client requestor)) and \$55	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 17:50
S57	17	S56 and (im (instant adj messag\$3) real-time (real adj time))	US-PGPUB; USPAT; USOCR; IFPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 17:50

S58	1778	(user client customer operator individual person entit\$3 requestor) same (inquir\$3 query\$3 request\$3 ask\$3 question\$3 demand \$3) same (status state condition presence position availability avalabl\$2 information data) same ((buddy people contact) near2 list)	US-POPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:00
S59	27	\$58 same ((respon\$4 messag \$4) with (auto automatic away generic standard stock default general basic uniform personal\$4 custom\$4)) and (im (instant adj messag\$4)) and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 13:55
S60	313	((buddy people contact) near2 list) and @ad<= "20031212" and "709".clss.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 13:56
S61	286	S60 and ((alert\$3 notice notify\$3 notification warn\$3 display\$3 inform\$3 flag\$4 alarm\$3) same (request\$3 messag\$3 receiv\$4 notice interrupt\$3 reply replies))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 14:02
S62	170	S80 and ((alert\$3 notice notify\$3 notification warn\$3 display\$3 inform\$5 flag\$4 alarm\$3) same (request\$3 messag\$3 receiv\$4 notice interrupt\$3 reply replies) same (part partial portion fraction line limited section uncomplet\$2 fragment))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 17:05
S63	138	S82 and ((status state presence availability same (generic\$4 standard\$4 default generi\$4 standard\$4 default generi\$4 basic uniform personaliz\$3 customized custom detail\$2 specific) same (respond\$3 statement acknowled\$4 recept report\$3 comment \$\$31)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 14:10

S64	104	Se2 and ((status state presence availability available information) same ((generic\$4 standard\$4 default general\$4 basic uniform personaliz\$3 customized custom detail\$2 specific) with (respond\$3 response messag\$3 reply\$3 statement acknowledg\$4 receipt report\$3 comment \$31))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11
S65	60	S64 and (im (instant adj messag\$3) (((real adj time) real-time) adj messag\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OS	2007/10/11 14:14
S66	5196	((display\$3 show\$3 reveil\$3 visable) same (part partial portion fraction line limited section uncomplet\$5 (ragment) same (message request interrupt\$3)) and (((real adj time) real-time) adj messag\$3) (((real adj time) real-time) adj messag\$3) and (@ad<="20031212"	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 17:08
S67	802	(((display\$3 show\$3 reveil\$3 visable) same (part partial portion fraction line limited section uncomplet\$5 (ragment) same (message request interrupt\$3)] same (((real adj time) real-time) adj messag\$3) (((real adj time) real-time) adj messag\$3)) and (@ad<= '20031212'	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 17:24
S68	75	S67 and "709".clss.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 17:26
S69	804	(((display\$3 show\$3 reveil\$3 visable) same (proview part partial portion fraction line limited section uncomplet\$2 (ragment) same (message request interrupt\$3)) same (((real adj time) real-time) adj messag\$3)) (((real adj time) real-time) adj messag\$3)) and (@ad<= "20031212"	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 17:42

S70	75	S69 and "709".clss.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 17:45
S71	46	((((display\$3 show\$3 reveil \$3 visable) near3 (preview part partial portion fraction line limited section uncomplet \$2 fragment) near3 (message request interrupt \$3)) same (im (instant adj messag\$3) (((real adj time) real-time) adj messag\$3))) and @ad<= 20031212*	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 17:45
S72	8	S71 and "709".dlss.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OS	2007/10/11 17:45
S73	1	((preview\$3) with (portion partial beginning section) with (message interrupt\$3) with (sender client requestor)) and (im (instant adj messag\$3)) and @ad<= "20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 09:12
S74	9	((preview\$3 view\$3) with (portion partial beginning section piece) with (message interrupt\$3) with (sender client requestor)) and (im (instant adj messag\$3)) and @ad<= "20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 09:21
S75	307	((preview\$3 portion partial beginning section piece) with (message interrupt\$3) with (sender client requestor)) and (im (instant adj messag \$3)) and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 09:21
S76	17	((preview\$3) with (message interrupt\$3) with (sender client requestor)) and (im (instant adj messag\$3)) and @ad<= "20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 09:49
S77	16	S76 not S74	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 09:21

S78	36	(((preview\$3) with (message interrupt\$3)) same (sender client requestor)) and (im (instant adj messag\$3)) and @ad<= "20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 11:28
S79	19	S78 not (S77 S74)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 09:50
S80	2	S79 and "709".clss.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 09:50
S81	1	"6697840".pn.	USPAT	OR	OFF	2008/02/14 16:53
S84	4	(presence adj awareness). ab. and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	) The second sec	2008/02/15 11:40
S86	47	(presence adj awareness) and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/15 11:41
S87	9	S86 and ((block\$3 reject\$3 deny\$3) with (messag\$3 im interrupt\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/15 11:43
S88	49901	((block\$3 only just reject\$3 deny\$3 intercept\$3 prevent \$3 conceal\$3 hid\$3 ignor\$3 limit\$3 prevent\$3) with (interrupt\$4 messag\$3 im)). ab. and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/15 13:11
S89	262	((block\$3 only just reject\$3 deny\$3 intercept\$3 prevent \$3 conceat\$\$ hid\$\$ ignor\$\$ limit\$3 prevent\$3) with (interrupt\$4 messag\$3 im) with list) ab. and @ad<= "20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/15 13:12

S90	15	S89 and "709".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/15 13:13
S91	4317	((block\$3 only just reject\$3 deny\$3 intercept\$3 prevent \$3 conceat\$5 hid\$3 ignor\$3 limit\$3 prevent\$3) with (interrupt\$4 messag\$3 im) with list) and @ad<= "20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/15 15:28
S92	1205	S91 and "709".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/15 15:29
S93	79	((block\$3 only just reject\$3 deny\$3 intercept\$3 prevent \$3 concea\$5 hid\$5 ignor\$3 limit\$3 prevent\$3 hid\$5 ignor\$3 limit\$3 prevent\$3) with (interrupt\$4 messag\$3 im) with ((buddy people contact) near3 list)) and @ad<= "20031212" and "709".das.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/15 15:30
S96	2	"20050132011".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 15:14
S97	6473	(709/206 709/207 340/7.51 719/314 710/47 340/691.3). ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 16:45
S98	2649	\$97 and ((reject\$3 block\$3 ignor\$3) with (messag\$3 interrupt\$3 request))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 16:46
S99	2378	((contact people buddy) near2 list) same (accept\$3 allow\$3 receiv\$3) same (messag\$3 interrupt\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/03/12 16:47

S100	868	((contact people buddy) near2 list) with (accept\$3 allow\$3 receiv\$3) with (messag\$3 interrupt\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 16:48
S101	0	S100 and ((temporar\$3 short- term) with (list contact group)) and ((permanant long-term) with (list contact group)) and @ad<="20031212"	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 16:50
S102	65	((determin\$3) with (event occurance activity) with (approach\$3 arriv\$3 soon recent\$2)) same (network with communicat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:16
S103	9	((determin\$3 notif\$4 alarm \$3 alert\$3) with (calender schedul\$3) with (event occurence activity) with (approach\$3 arriv\$3 soon recent\$2 upcoming)) and "709".ciss.	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:21
S104	9951	((schedul\$3 calender) with (manage\$4 monitor\$3 remind \$3)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:37
S105	32	S104 and "709".clss.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:38

## 7/11/2008 10:51:01 AM

C:\ Documents and Settings\ mkhanna\ My Documents\ EAST\ Workspaces\ 10734494-new.wsp